

The new high-performance module Q.PEAK-G4.1 is the ideal solution for all applications thanks to its innovative cell technology Q.ANTUM. The world-record cell design was developed to achieve the best performance under real conditions — even with low radiation intensity and on clear, hot summer days.



## **LOW ELECTRICITY GENERATION COSTS**

Higher yield per surface area, lower BOS costs, higher power classes, and an efficiency rate of up to 18.6%.



#### **INNOVATIVE ALL-WEATHER TECHNOLOGY**

Optimal yields, whatever the weather with excellent low-light and temperature behavior.



# **ENDURING HIGH PERFORMANCE**

Long-term yield security with Anti LID technology,
Anti PID Technology<sup>1</sup>, Hot-Spot Protect and Traceable Quality Tra.Q<sup>TM</sup>.



## **EXTREME WEATHER RATING**

High-tech aluminum alloy frame, certified for high snow (5400 Pa) and wind loads (4000 Pa) regarding IEC.



# **MAXIMUM COST REDUCTIONS**

Up to 10% lower logistics costs due to higher module capacity per box.



#### A RELIABLE INVESTMENT

Inclusive 12-year product warranty and 25-year linear performance guarantee<sup>2</sup>.

### THE IDEAL SOLUTION FOR:














- APT test conditions: Cells at -1500 V against grounded, with conductive metal foil covered module surface, 25 °C, 168 h
- See data sheet on rear for further information.




FI	COTDICAL CHADACTERIC	TICC				
	ECTRICAL CHARACTERIS	1102		000	005	
	WER CLASS			300	305	
MINIMUM PERFORMANCE AT STANDARD TEST CONDITIONS, STC¹ (POWER TOLERANCE +5W / -OW)						
Minimum	Power at MPP <sup>2</sup>	P <sub>MPP</sub>	[W]	300	305	
	Short Circuit Current*	I <sub>sc</sub>	[A]	9.77	9.84	
	Open Circuit Voltage*	V <sub>oc</sub>	[V]	39.76	40.05	
	Current at MPP*	I <sub>MPP</sub>	[A]	9.26	9.35	
	Voltage at MPP*	$V_{\text{MPP}}$	[ <b>V</b> ]	32.41	32.62	
	Efficiency <sup>2</sup>	η	[%]	≥18.0	≥18.3	
MINIMUM PERFORMANCE AT NORMAL OPERATING CONDITIONS, NOC <sup>3</sup>						
	Power at MPP <sup>2</sup>	P <sub>MPP</sub>	[W]	222.0	225.7	
E	Short Circuit Current*	I <sub>sc</sub>	[A]	7.88	7.94	
Minimum	Open Circuit Voltage*	V <sub>oc</sub>	[V]	37.19	37.46	
	Current at MPP*	I <sub>MPP</sub>	[A]	7.27	7.35	
	Voltage at MPP*	$V_{\text{MPP}}$	[V]	30.52	30.70	
$^{1}1000\text{W/m}^{2}$ , 25 °C, spectrum AM 1.5 G $^{2}$ Measurement tolerances STC ±3%; NOC ±5% $^{3}$ 800 W/m <sup>2</sup> , NOCT, spectrum AM 1.5 G			<sup>3</sup> 800 W/m², NOCT, spectrum AM 1.5 G * typical values, actual values may diffe	r		
Q CELLS PERFORMANCE WARRANTY PERFORMANCE AT LOW IRRADIANCE						



At least 98 % of nominal power during first year. Thereafter max. 0.6 % degradation per year. At least 92.6 % of nominal power up to 10 years. At least 83.6 % of nominal power up to 25 years.

All data within measurement tolerances. Full warranties in accordance with the warranty terms of the Q CELLS sales organization of your respective country.



Typical module performance under low irradiance conditions in comparison to STC conditions (25 °C,  $1000\,W/m^2$ ).

IRRADIANCE [W/m²]

TEMPERATURE COEFFICIENTS							
Temperature Coefficient of $I_{\text{sc}}$	α	[%/K]	+0.04	Temperature Coefficient of $\mathbf{V}_{\text{oc}}$	β	[%/K]	-0.28
Temperature Coefficient of P <sub>MPP</sub>	γ	[%/K]	-0.39	Normal Operating Cell Temperature	NOCT	[°F]	$113 \pm 5.4 (45 \pm 3$ °C)

PROPERTIES FOR SYSTEM DI	ESIGN			
Maximum System Voltage V <sub>SYS</sub>	[V]	1000 (IEC) / 1000 (UL)	Safety Class	II
Maximum Series Fuse Rating	[A DC]	20	Fire Rating	C (IEC) / TYPE 1 (UL)
Design load, push (UL) <sup>2</sup>	[lbs/ft²]	75 (3600 Pa)	Permitted module temperature on continuous duty	-40 °F up to $+185$ °F ( $-40$ °C up to $+85$ °C)
Design load, pull (UL) <sup>2</sup>	[lbs/ft²]	55.6 (2666 Pa)	<sup>2</sup> see installation manual	

QUALIFICATIONS AND CERTIFICATES	PACKAGING INFORMATION	PACKAGING INFORMATION		
UL 1703; VDE Quality Tested; CE-compliant; IEC 61215 (Ed.2); IEC 61730 (Ed.1) application class A	Number of Modules per Pallet	32		
lec 61215 (ed.2); lec 61730 (ed.1) application class A	Number of Pallets per 53' Container	30		
	Number of Pallets per 40' Container	26		
C Certified US	Pallet Dimensions ( $L \times W \times H$ )	$68.7\mathrm{in} \times 45.3\mathrm{in} \times 46.1\mathrm{in}$ (1745 mm $\times$ 1150 mm $\times$ 1170 mm)		
(CU=1=1)	Pallet Weight	1435 lbs (651 kg)		

**NOTE:** Installation instructions must be followed. See the installation and operating manual or contact our technical service department for further information on approved installation and use of this product.

# Hanwha Q CELLS America Inc.